



此报告本年度有效  
有效期至 2026 年 12 月 31 日

# MSDS Report

<b>Applicant Name:</b> 申请商:	Guangdong Cvasun New Energy Technology Co., Ltd. 广东嘉尚新能源科技有限公司 No.14 Shichongheng Road, Shipai Town, Dongguan City, Guangdong, Province 广东省东莞市石排镇石崇横路 14 号
<b>Product Name:</b> 产品名称:	Polymer Li-ion Cell 聚合物锂离子电芯
<b>Model 型号:</b>	103450
<b>Nominal Voltage:</b> 标称电压:	3.7V
<b>Typical Capacity:</b> 典型容量:	2000mAh 7.4Wh
<b>Weight 重量:</b>	32.47g
<b>Dimension 尺寸:</b>	(50.0×34.0×9.75)mm (L×W×T)
<b>Prepared By</b> 编制单位	Guangdong NTT Testing Technology Co., Ltd. 广东诺检标准技术有限公司 Room 201, Building 1, No. 11, Shimenqian Street, Wentang, Dongcheng, Dongguan City, Guangdong Province, China 广东省东莞市东城街道温塘石门前街 11 号 1 栋 201 室
<b>Report No.</b> 报告编号	NTT25470452B04-1

Written by 编写:

*Bowie Lin 林博维*

Bowie Lin 林博维

Approved by 批准人:

*Eason Zhou 周文承*

Eason Zhou 周文承

Inspected by 审核人:

*King Chen 陈意良*

King Chen 陈意良

Seal of NTT 报告单位 (盖章)

Effective Date 生效日期:

2026.01.01



# Material Safety Data Sheet

## 化学品安全技术说明书

### Section 1- Chemical Product & Company Identification

#### 第一部分 化学品及企业标识

**Product Name:** Polymer Li-ion Cell

产品名称: 聚合物锂离子电芯

**Manufacture:** Guangdong Cvasun New Energy Technology Co., Ltd.

制造商: 广东嘉尚新能源科技有限公司

**Address:** No.14 Shichongheng Road, Shipai Town, Dongguan City, Guangdong, Province

地址: 广东省东莞市石排镇石崇横路 14 号

**Contact Person 联系人:** /

**Tel 电话:** 0769-86651333

**Fax 传真:** /

**Emergency Tel 应急电话:** 0769-86651333

**E-mail 邮箱:** qc@cvasun.com.cn

### Section 2- Hazards Identification

#### 第二部分 危险性概述

<b>Classification according to GHS</b> GHS 分类	Not a dangerous substance according to GHS 不属于GHS危险物品
<b>Hazard Description</b> 危险性描述	Not dangerous with normal use. Do not dismantle, open or shred the battery ingredients contained within or their ingredients products could be harmful. 正常使用没有危险, 不能拆解、打开或分解电池, 里面的材料或成分是有危害的。
<b>Primary Route(s) of Exposure</b> 接触途径	Inhalation, Ingestion, Skin contact and Eye contact. 吸入、食入、皮肤接触、眼睛接触。



<b>Health Hazard</b> <b>健康危害</b>	<p>In case of abuse, there's Hazard of rupture, fire, heat, leakage of internal components          使用不当的情况下,有破裂、起火、发烫、内部成分泄漏的危险。</p> <p>Contact with the electrolyte of battery may be irritating to skin, eyes and mucous tissue. Combustion may produce irritating, corrosive and/or toxic gases. Fumes may cause dizziness or suffocation.          电池的电解质会刺激皮肤、眼睛和黏膜组织。燃烧可能产生刺激性、腐蚀性和/或毒性气体。烟雾可能导致头晕或窒息。</p>
-------------------------------------	---

## Section 3- Composition/Information on Ingredients

### 第三部分 成分/组成信息

<b>Chemical Name</b> <b>化学名称</b>	<b>Concentration or concentration ranges (%)</b> <b>浓度或浓度范围(%)</b>	<b>CAS Number</b> <b>CAS 号(化学文摘索引登记号)</b>
Lithium nickel-cobalt manganese oxides 镍钴锰酸锂	34.33	182442-95-1
Lithium Manganese Iron Phosphate 磷酸锰铁锂	4.29	15365-14-7
Lithium manganese oxides 锰酸锂	4.29	12057-17-9
Graphite 石墨	22.44	7782-42-5
Polyvinylidene Fluoride (PVDF) 聚偏氟乙烯	0.66	24937-79-9
Styrene Butadiene Rubber (SBR) 丁苯橡胶	0.47	9003-55-8
Copper Foils 铜箔	6.81	7440-50-8
Aluminum Foils 铝箔	4.59	7429-90-5
Aluminum packing foil 铝塑膜	2.21	9003-07-0
		7429-90-5
		25038-54-4
PE Separator 隔膜	2.83	9002 - 88 - 4
Nickel 镍	0.22	7440-02-0
Lithium Hexafluorophosphate 六氟磷酸锂	1.96	21324-40-3
(EC)Ethylene Carbonate 碳酸乙烯酯	4.52	96-49-1
(DEC)Diethyl Carbonate 碳酸二乙酯	8.28	105 - 58 - 8



Other 其他	2.10	
----------	------	--

Note: CAS number is Chemical Abstract Service Registry Number.

注意：CAS 号是化学文摘服务注册号。

N/A=Not apply.

N/A =不适用。

## Section 4- First Aid Measures

### 第四部分 急救措施

<b>Inhalation</b> 吸入	If the internal materials of battery are inhaled, remove from scene immediately to fresh air. If breathing is difficult, give oxygen and seek medical attention immediately. 若吸入电池内的物质，立即脱离现场至空气新鲜处，如果呼吸困难给予输氧，立即就医。
<b>Ingestion</b> 食入	Do not induce vomiting if the internal materials of battery are swallowed and seek medical attention immediately. 若食入电池内的物质，禁止催吐，立即就医。
<b>Skin contact</b> 皮肤接触	If in contact with the internal materials of battery, remove the contaminated clothing, shoes and socks, immediately flush with plenty of water for more than 20 minutes, seek medical attention immediately. 若接触到电池内的物质，脱下已污染衣服和鞋袜，用流动的水冲洗 20 分钟以上，立即就医。
<b>Eye contact</b> 眼睛接触	If in contact with the internal materials of battery, turn up the upper and lower eyelids, rinse with running water for more than 20 minutes, seek medical attention immediately. 若接触到电池内的物质，翻起上下眼睑，用流动水冲洗 20 分钟以上，立即就医。

## Section 5- Fire Fighting Measures

### 第五部分 消防措施

<b>Characteristics of Hazard</b> 危险特性	Fumes may cause dizziness or suffocation. 燃烧可能产生刺激性、腐蚀性和/或毒性气体。烟雾可能导致头晕或窒息。
<b>Hazardous Combustion Products</b> 燃烧产生的危险物品	Carbon monoxide, carbon dioxide, lithium oxide fumes and so on. 一氧化碳，二氧化碳，锂氧化物烟气等。
<b>Fire-extinguishing Methods and Extinguishing Media</b> 灭火方法及灭火剂	Please use water, dry sand and other proper fire extinguishing media. 请使用水，干燥沙等合适的灭火介质。
<b>Attention in Fire-extinguishing</b> 灭火注意事项	The firemen should put on antigas masks and full fire-fighting suits. 消防人员须佩戴防毒面具、穿全身消防服。



## Section 6- Accidental Release Measures

### 第六部分 泄露应急处理

<p><b>Personal Precautions, protective equipment, and emergency procedures</b> 个人预防措施、防护装备和应急程序</p>	<p>Restrict access to area until completion of clean-up. Do not touch the spilled material. Wear adequate personal protective equipment as indicated in Section 8. 限制区域，直到完成清理工作。请勿触摸泄漏的材料。穿戴适当的个人防护设备，如第 8 部分所示。</p>
<p><b>Environmental Precautions</b> 环境保护措施</p>	<p>Prevent material from contaminating soil and from entering sewers or waterways. 防止物质污染土壤和进入下水道或水道。</p>
<p><b>Methods and materials for Containment</b> 方法和材料控制</p>	<p>Stop the leak if safe to do so. Contain the spilled liquid with dry sand or earth. Clean up spills immediately. 出于安全，阻止泄漏，可以用干砂或沙土来遏制液体泄露，立即清理泄漏。</p>
<p><b>Methods and materials for cleaning up</b> 清理的方法和材料</p>	<p>Absorb spilled material with an inert absorbent (dry sand or earth). Scoop contaminated absorbent into an acceptable waste container. Collect all contaminated absorbent and dispose of according to directions in Section 13. Scrub the area with detergent and water; collect all contaminated wash water for proper disposal. 用惰性吸收剂(干砂或沙土)吸收溢出的材料。污染物转移到可吸收废物的容器。收集所有受污染的吸收剂和根据第 13 部分的指令处置。用洗涤剂和水清洁污染区域,收集所有受污染的洗涤水进行适当处置。</p>

## Section 7- Handling and Storage

### 第七部分 操作处置与储存

<p><b>Handling</b> 操作</p>	<p>Don't handling the batteries in manner that allows terminals to short circuit. Do not open, disassemble, crush or burn battery. 不要让以接头短路的方式对电池进行操作。不要打开，分解，挤压或燃烧电池。 Operators should be trained and strictly follow the operating procedures. 操作人员应经过培训，严格遵守操作规程。</p>
<p><b>Storage</b> 储存</p>	<p>Store in a cool, ventilated, dry warehouse. Keep away from fire, heat and heat. Keep strong oxidants, inflammables and corrosive products separately. Must be firmly in the inner packaging to effectively prevent short circuits and prevent movement that can cause short circuits. The storage area is equipped with the corresponding varieties and quantities of fire equipment, leakage emergency treatment equipment and appropriate containment materials. 储存于阴凉，通风，干燥的库房内。远离火种，热源，避免高温。应于强氧化剂，易燃物和腐蚀品分开存放。必须牢固在内包装中，以有效防止短路和防止可导致短路的移动。存储区配备相应品种和数量的消防器材，泄露应急处理设备和合适的收容材料。 Keep out of reach of children. 储存在小孩接触不到的地方。</p>



<p><b>Other Precautions</b> 其他要注意的防范措施</p>	<p>The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. 拆解、挤压、直接放入火中或高温条件下，电池可能发生爆炸和燃烧。禁止短接或将电池正负极错误的安装在设备中。</p>
--	--

## Section 8 - Exposure Controls/Personal Protection

### 第八部分 接触控制和个体防护

<p><b>Engineering Controls</b> 工程控制</p>	<p>Use local exhaust ventilation or other engineering controls to control sources of dust, mist, fumes and vapor. Keep away from heat and open flame. Store in a cool, dry place. 设计局部排气通风或其它设计来控制粉尘、雾、烟雾和气体。</p>
<p><b>Personal Protective Equipment</b> 个人防护设备</p>	<p><b>Respiratory Protection:</b> In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting cell cores. Respiratory Protection is not necessary under conditions of normal use. Not necessary under conditions of normal use. 呼吸保护：当电池排气阀打开时，应尽量使通风设备开至最大，避免将打开排气阀的电芯局限在某一狭窄空间内。正常操作条件下，呼吸保护是不必要的。正常使用条件下不必考虑。 <b>Protective Gloves:</b> Not necessary under conditions of normal use. 防护手套：正常使用条件下不必考虑。 <b>Other Protective Clothing or Equipment:</b> Not necessary under conditions of normal use. 其他防护服装或设备：正常使用条件下不必考虑。 <b>Personal Protection is recommended for venting battery:</b> Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields. 当电池排气阀打开时，应做好个人防护：呼吸防护，防护手套，防护服装和有护边的安全玻璃罩都是要准备的。</p>

## Section 9- Physical and Chemical Properties

### 第九部分 理化特性

<p><b>Physical State</b> 物理状态</p>	<p>Form: Solid 形态：固体</p>
	<p>Color: Silver 颜色：银色</p>
	<p>Odour: Odorless 气味：无气味</p>
<p><b>Change in condition</b> 变化条件：</p>	
<p><b>pH, with indication of the concentration</b></p>	<p>No data is available</p>



pH, 有浓度指示	无数据可提供
Melting point/freezing point 熔点/凝固点	No data is available 无数据可提供
Boiling Point, initial boiling point 沸点, 初沸点	No data is available 无数据可提供
Flash Point 闪点	No data is available 无数据可提供
Upper/lower flammability or explosive limits 上/下燃烧或爆炸限值	No data is available 无数据可提供
Vapor Pressure 蒸汽压	No data is available 无数据可提供
Vapor Density: (Air = 1) 蒸汽密度: (空气= 1)	No data is available 无数据可提供
Density/relative density 密度/相对密度	No data is available 无数据可提供
Solubility in Water 水溶性	No data is available 无数据可提供
n-octanol/water partition coefficient 正辛醇/水分配系数	No data is available 无数据可提供
Auto-ignition temperature 自燃温度	No data is available 无数据可提供
Decomposition temperature 分解温度	No data is available 无数据可提供
Odour threshold 嗅阈	No data is available 无数据可提供
Evaporation rate 蒸发速率	No data is available 无数据可提供
Flammability (soil, gas) 易燃性 (土壤, 气体)	No data is available 无数据可提供
Viscosity 粘度	No data is available 无数据可提供

## Section 10 – Stability and Reactivity

### 第十部分 稳定性和反应性

Stability 稳定性	Stable under normal temperatures and pressures. 常温常压下稳定。
Conditions to Avoid 应避免的条件	Avoid misoperation, open flame, high temperature, mechanical abuse, overcharge, prevent short circuit and prevent movement that can cause



	short circuit. 避免误操作，明火，高温，机械滥用，过充电，防止短路和防止可导致短路的移动。
<b>Hazardous Decomposition Products</b> 危害分解物	Carbon monoxide, carbon dioxide, lithium oxide fumes. 一氧化碳、二氧化碳、氧化锂烟雾。
<b>Incompatible material</b> 不相容材料	Strong oxidizing agent, flammable and corrosive. 强氧化剂，易燃性和腐蚀性。
<b>Possibility of Hazardous Reaction</b> 危险反应的可能性	No data is available 无数据可提供

## Section 11 – Toxicological Information

### 第十一部分 毒理学信息

<b>Acute toxicity</b> 急性毒性	No data is available 无数据可提供
<b>Irritation</b> 刺激	In the event of exposure to internal contents, vapor fumes may be very irritating to the eyes and skin. 内部物质暴露的情况下，蒸汽烟雾可能对眼睛和皮肤产生刺激性。
<b>Sensitization</b> 致敏	No data is available 无数据可提供
<b>Reproductive Toxicity</b> 再生毒性	No data is available 无数据可提供
<b>Toxicologically Synergistic Materials</b> 协同材料毒理学	No data is available 无数据可提供

## Section 12-Ecological Information

### 第十二部分 生态学信息

<b>General note</b> 通用信息	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 不允许未稀释或大量的产品到达地下水、水道或污水系统。
<b>Anticipated behavior of a chemical product in environment/possible environmental impact/ecotoxicity</b> 化学产品在环境/可能的环境预期的行为的一种生态毒性	No data is available 无数据可提供
<b>Mobility in soil</b> 土壤中移动性	No data is available 无数据可提供



<b>Persistence and Degradability</b> 持久性和降解性	No data is available 无数据可提供
---	--------------------------------

## Section 13 – Disposal Considerations

### 第十三部分 废弃处置

<b>Waste Treatment</b> 废弃处置方法	Recycle or dispose of in accordance with government, state & local regulations. 建议遵照国家和地方法规处置或再利用。
<b>Attention for Waste Treatment</b> 废弃注意事项	Deserted batteries couldn't be treated as ordinary trash. Couldn't be thrown into fire or placed in high temperature. Couldn't be dissected, pierced, crushed or treated similarly. Best way is recycling. 废电池不能被当做普通垃圾。不能扔进火中或置于高温下。不能解体，刺穿，破碎或类似的处理。最好的办法是回收利用。

## Section 14 – Transport Information

### 第十四部分 运输信息

<b>Transport</b> 运输	Tested according to the requirements of the UNITED NATIONS "Manual of Tests and Criteria" Part III, subsection 38.3 经过测试符合联合国《试验和标准手册》第三部分，第38.3章节的要求。
<b>UN Number</b> UN编号	UN3480 or UN3481 UN3480或UN3481
<b>UN Proper shipping name</b> 联合国运输专用名称	Lithium ion batteries or Lithium ion batteries packed with equipment or Lithium ion batteries contained in equipment. 锂离子电池，锂离子电池与设备包装在一起或锂离子电池内置于设备中。
<b>Transport hazard class(es)</b> 运输风险类别	Class 9 (PI 965 Section IB) or N/A(PI 966~PI 967 Section II) 9类危险品(包装说明965第IB部分)或者 不适用(包装说明966~967第II部分)
<b>Packing group</b> 包装等级	N/A 不适用
<b>IATA DGR(67<sup>th</sup> Edition)</b>	The product can be shipped by air in according to Section IB of PACKING INSTRUCTION 965 or Section II of PACKING INSTRUCTION 966~967 of the 2026 IATA Dangerous Goods Regulations 67 <sup>th</sup> Edition. 本物品可根据2026年IATA危险品规则第67版包装说明965第IB部分或包装说明966~967第II部分空运运输。
<b>ADR(2025 Edition)</b>	The product is not subject to the other provision of ADR(2025 Edition) according to Special Provision 188 本物品根据ADR 2025版特殊规定188，运输时不受本规则其他规定限制。



<b>RID(2025 Edition)</b>	The product is not subject to the other provision of RID(2025 Edition) according to Special Provision 188 本物品根据RID 2025版特殊规定188, 运输时不受本规则其他规定限制。
<b>IMO IMDG CODE (2024 Edition)</b>	The product is not subject to the other provision of IMO IMDG CODE 2024 Edition(Amdt 42-24) according to Special Provision 188 本物品根据IMO IMDG CODE 2024版(Amdt 42-24)特殊规定188, 运输时不受本规则其他规定限制。
<b>IMDG EmS No.: IMDG EmS 编号:</b>	F-A, S-I
<b>Marine pollutant 海洋污染物</b>	No 不属于
Can be shipped without being declared as Class 9 dangerous goods, when Maritime, Road, Railway meet to Special Provision 188. 当海运, 道路, 铁路满足特殊规定 188, 不需要申报成 9 类危险品装运。	

## Section 15 – Regulatory Information

### 第十五部分 法规信息

#### Dangerous Goods Regulations

《危险品规则》

#### Recommendations on the Transport of Dangerous Goods, Model Regulations

联合国《关于危险货物运输的建议书 规章范本》

#### International Maritime Dangerous Goods

《国际海运危险货物规则》

#### Technical Instructions for the Safe Transport of Dangerous Goods By Air(TI)

《危险物品安全航空运输技术细则》(技术细则)

#### European Agreement concerning the International Carriage of Dangerous Goods by Road(ADR)

《国际危险货物道路运输欧洲协定》

#### Regulations concerning the International Carriage of Dangerous Goods by Rail(RID)

《国际铁路运输危险货物规则》(RID)

#### List of Railway Dangerous Goods (TB/T 30006-2022)

《铁路危险物品名表》(TB/T 30006-2022)

#### Regulations Concerning Road Transportation of Dangerous Goods(JT/T 617--2018)

《危险货物道路运输规则》(JT/T 617-2018)

#### Classification and code of dangerous goods

《危险货物分类和品名编号》

#### Occupational Safety and Health Act(OSHA)

《职业安全与健康法》(OSHA)

#### Toxic Substance Control Act(TSCA)

《有毒物质控制法》(TSCA)

#### Resource Conservation and Recovery Act(RCRA)

《资源保护和恢复法案》(RCRA)



诺检标准

NTT STANDARD

**Material Safety Data Sheet**

Code of Federal Regulations(CFR) 49 CFR sections 100-185, 49 CFR -173.185

《联邦条例》(CFR) 49 CFR sections 100-185, 49 CFR -173.185

New EU Battery Regulations (EU) 2023/1542

欧盟新电池法规(EU) 2023/1542

Regulation (EC) No. 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

关于化学品的注册、评估、授权和限制(EC)第 1907/2006 号规例

In accordance with all Federal, State and local laws.

符合所有联邦、州和地方法律。



## Section 16 – Additional Information

### 第十六部分 其他信息

The information in this MSDS has only been compiled based on the information in the relevant materials currently in our possession and is intended only to describe the health, safety and environmental requirements of this product so that all interested parties can better understand and trust this product. However, we makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information.

本份 MSDS 中的信息只是基于我们当前所拥有的相关材料的信息而编制的,只是为了描述本品的健康、安全与环境需求,以使各有关方面能更好地了解和信任本产品。但是,对于这些信 息,我们不对商品的性能做任何明示的或者暗示的保证,我们也不对使用这些信息造成的后果担负任何责任。用户应当自己调查研究后决定这些信息是否适用于他们的特定用途。尽管在该文档里提出了合理的预警,但是这仅仅只是给您做参考,考量和调查。这份化学品安全技术说明书提供了安全处理和使用该产品的指南,但是它没有,也不能对所有可能发生的情景提出建议,所以您需要根据您对该产品的特定使用情况来决定是否需要其他的预防措施。

此处所包含的数据/信息作为普通版本已经审核并批准,但是本文档不包含出口控制信息。

\*\*\*\*\*End of report 报告结束\*\*\*\*\*